

## Additions and modifications in software version 75

### Functions according to manufacturer

This list merely gives a basic overview of the scope of our data additions. A complete list with all the model additions for every manufacturer would be simply too extensive.

#### Extended and revised manufacturers

---

##### Aprilia

Trouble codes	(Aprilia RS, RS 457 E5+)
Parameters	(Aprilia RS, RS 457 E5+)
Actuators	(Aprilia RS, RS 457 E5+)
Service resets	(Aprilia ETV, ETV 1200 Caponord)

##### BMW

Trouble codes	(BMW F 750, F 750 GS), (BMW F 850, F 850 GS), (BMW C 650, C 650 GT), (BMW R 1250, R 1250 GS), (BMW R 1250, R 1250 RT), (BMW R 1250, R 1250 R), (BMW R 1250, R 1250 RS), (BMW F 900, F 900 R), (BMW F 900, F 900 XR), (BMW R 1250, R 1250 GS Adventure), (BMW F 850, F 850 GS Adventure), (BMW R 1300, R 1300 GS), (BMW F 900, F 900 GS), (BMW F 900, F 900 GS Adventure), (BMW R 12, R 12), (BMW R 12, R 12 nineT), (BMW S 1000, S 1000 XR), (BMW M 1000, SM99), (BMW S 1000, S 1000 RR), (BMW S 1000, S 1000 R), (BMW M 1000, M 1000 R)
Parameters	(BMW C 650, C 650 GT), (BMW R 1250, R 1250 R), (BMW R 1250, R 1250 GS), (BMW R 1250, R 1250 RT), (BMW R 1250, R 1250 RS), (BMW R 1300, R 1300 GS), (BMW F 900, F 900 GS), (BMW F 900, F 900 GS Adventure), (BMW R 12, R 12), (BMW R 12, R 12 nineT), (BMW S 1000, S 1000 XR)
Actuators	(BMW R 1300, R 1300 GS), (BMW F 900, F 900 GS), (BMW F 900, F 900 GS Adventure), (BMW R 12, R 12), (BMW R 12, R 12 nineT)

| **Basic settings**

(BMW F 900, F 900 GS), (BMW F 900, F 900 GS Adventure):  
Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear

(BMW R 12, R 12), (BMW R 12, R 12 nineT):  
Resetting oxygen sensor adaptation values, Resetting throttle valve adaptation values, Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear, Gearbox adaptation, Adapting the throttle grip, Resetting knock sensor adaptation values, Resetting catalyst adaptation values

(BMW R 1300, R 1300 GS):  
Resetting oxygen sensor adaptation values, Resetting throttle valve adaptation values, Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear, Gearbox adaptation, Adapting the throttle grip, Resetting knock sensor adaptation values, Resetting catalyst adaptation values, Calibrating the windshield

| **Service resets**

(BMW F 900, F 900 GS), (BMW F 900, F 900 GS Adventure), (BMW R 12, R 12), (BMW R 12, R 12 nineT)

**CFMOTO**

| **Trouble codes**

(CFMOTO 250, 250 NK), (CFMOTO 400, 400 NK), (CFMOTO 650, 650 MT), (CFMOTO 650, 650 NK), (CFMOTO 400, 400 GT), (CFMOTO 800, 800 MT), (CFMOTO 300, 300 NK), (CFMOTO 800, 800 MT Sport), (CFMOTO 800, 800 MT Touring), (CFMOTO 300, 300 CL-X), (CFMOTO 300, 300 SR), (CFMOTO 450, 450 SR), (CFMOTO 800, 800 MT Explorer), (CFMOTO 250, 250 CL-X), (CFMOTO 250, 250 SR), (CFMOTO 700, 700 MT), (CFMOTO 250, 250 SR S), (CFMOTO 300, 300 SS), (CFMOTO 450, 450 NK), (CFMOTO 450, 450 SS), (CFMOTO 650, 650 GT), (CFMOTO 650, 650 TR-G), (CFMOTO 800, 800 NK Advanced), (CFMOTO 800, 800 NK Sport)

| **Parameters**

(CFMOTO 250, 250 NK), (CFMOTO 400, 400 NK), (CFMOTO 650, 650 MT), (CFMOTO 650, 650 NK), (CFMOTO 400, 400 GT), (CFMOTO 800, 800 MT), (CFMOTO 300, 300 NK), (CFMOTO 800, 800 MT Sport), (CFMOTO 800, 800 MT Touring), (CFMOTO 300, 300 CL-X), (CFMOTO 300, 300 SR), (CFMOTO 450, 450 SR), (CFMOTO 250, 250 CL-X), (CFMOTO 250, 250 SR), (CFMOTO 700, 700 MT), (CFMOTO 250, 250 SR S), (CFMOTO 300, 300 SS), (CFMOTO 450, 450 NK), (CFMOTO 450, 450 SS), (CFMOTO 650, 650 GT), (CFMOTO 650, 650 TR-G), (CFMOTO 800, 800 NK Advanced), (CFMOTO 800, 800 NK Sport)

| **Actuators**

(CFMOTO 300, 300 SR), (CFMOTO 250, 250 NK), (CFMOTO 250, 250 SR), (CFMOTO 700, 700 MT), (CFMOTO 250, 250 SR S), (CFMOTO 300, 300 NK), (CFMOTO 300, 300 SS), (CFMOTO 400, 400 NK), (CFMOTO 650, 650 GT), (CFMOTO 650, 650 MT), (CFMOTO 650, 650 NK)

## Ducati

<p>  <b>Trouble codes</b></p>	<p>(Ducati Multistrada, MTS V4), (Ducati Multistrada, MTS V4 S), (Ducati Hypermotard, Hypermotard 698), (Ducati Superbike, 959 Panigale)</p>
<p>  <b>Parameters</b></p>	<p>(Ducati Multistrada, MTS V4), (Ducati Multistrada, MTS V4 S), (Ducati Hypermotard, Hypermotard 698), (Ducati Superbike, 959 Panigale)</p>
<p>  <b>Actuators</b></p>	<p>(Ducati Hypermotard, Hypermotard 698), (Ducati Superbike, 959 Panigale)</p>
<p>  <b>Codings</b></p>	<p>(Ducati Superbike, 959 Panigale): Activating/deactivating quickshifter, De/activating the anti-theft alarm system</p>
<p>  <b>Basic settings</b></p>	<p>(Ducati Superbike, 959 Panigale): Resetting oxygen sensor adaptation values, Resetting throttle valve adaptation values, Adapting the throttle grip</p>
<p>  <b>Service resets</b></p>	<p>(Ducati Hypermotard, Hypermotard 698), (Ducati Superbike, 959 Panigale), (Ducati Scrambler, Scrambler 800)</p>

## Honda

<p>  <b>Trouble codes</b></p>	<p>(Honda PCX, PCX 125), (Honda CB, CB 125 R), (Honda CB, CB 125 F), (Honda CBR, CBR 600 RR), (Honda CB, CB 500 Hornet), (Honda CB, CB 1000 Hornet), (Honda NX, NX 500), (Honda NT, NT 1100), (Honda ADV, ADV 350)</p>
<p>  <b>Parameters</b></p>	<p>(Honda PCX, PCX 125), (Honda CB, CB 125 R), (Honda CB, CB 125 F), (Honda CBR, CBR 600 RR), (Honda CB, CB 500 Hornet), (Honda CB, CB 1000 Hornet), (Honda NX, NX 500), (Honda NT, NT 1100), (Honda ADV, ADV 350)</p>

## Husqvarna

<p>  <b>Trouble codes</b></p>	<p>(Husqvarna 401, 401 Vitpilen), (Husqvarna 401, 401 Svartpilen)</p>
<p>  <b>Parameters</b></p>	<p>(Husqvarna 401, 401 Vitpilen), (Husqvarna 401, 401 Svartpilen)</p>
<p>  <b>Actuators</b></p>	<p>(Husqvarna 401, 401 Vitpilen), (Husqvarna 401, 401 Svartpilen)</p>

## Kawasaki

<b>Trouble codes</b>	(Kawasaki Ninja, Ninja H2 SX), (Kawasaki Ninja, Ninja 500 SE), (Kawasaki Z, Z-500), (Kawasaki Eliminator, Eliminator 500), (Kawasaki VN, Vulcan S)
<b>Parameters</b>	(Kawasaki Ninja, Ninja H2 SX), (Kawasaki Ninja, Ninja 500 SE), (Kawasaki Z, Z-500), (Kawasaki Eliminator, Eliminator 500), (Kawasaki VN, Vulcan S)
<b>Actuators</b>	(Kawasaki Ninja, Ninja 500 SE), (Kawasaki Z, Z-500), (Kawasaki Eliminator, Eliminator 500), (Kawasaki VN, Vulcan S)
<b>Service resets</b>	(Kawasaki Ninja, Ninja 500 SE), (Kawasaki Z, Z-500)

## KTM

<b>Trouble codes</b>	(KTM 1390, 1390 Super Duke), (KTM 690, 690 SMC), (KTM 125, 125 Duke)
<b>Parameters</b>	(KTM 1390, 1390 Super Duke), (KTM 690, 690 SMC), (KTM 125, 125 Duke)
<b>Service resets</b>	(KTM 1390, 1390 Super Duke)

## Kymco

### | Trouble codes

(Kymco Downtown, Downtown 350i), (Kymco Agility, Agility R16 Plus 200), (Kymco Agility, Agility R16 Plus 300), (Kymco AK, AK 550i ABS), (Kymco DT, DT X 350i), (Kymco Like, Like 150), (Kymco People, People One 125i), (Kymco People, People One 150i), (Kymco People, People S 125), (Kymco People, People S 200), (Kymco People, People S 300), (Kymco X-Town, X-Town 300), (Kymco X-Town, X-Town 300 City), (Kymco Xciting, Xciting 400i), (Kymco AK, AK 550i Premium), (Kymco X-Town, X-Town 125 City)

### | Parameters

(Kymco Downtown, Downtown 350i), (Kymco Agility, Agility R16 Plus 200), (Kymco Agility, Agility R16 Plus 300), (Kymco AK, AK 550i ABS), (Kymco DT, DT X 350i), (Kymco Like, Like 150), (Kymco People, People One 125i), (Kymco People, People One 150i), (Kymco People, People S 125), (Kymco People, People S 200), (Kymco People, People S 300), (Kymco X-Town, X-Town 300), (Kymco X-Town, X-Town 300 City), (Kymco Xciting, Xciting 400i), (Kymco AK, AK 550i Premium)

### | Basic settings

(Kymco Agility, Agility R16 Plus 200), (Kymco Agility, Agility R16 Plus 300), (Kymco AK, AK 550i ABS), (Kymco AK, AK 550i Premium), (Kymco Downtown, Downtown 350i), (Kymco DT, DT X 350i), (Kymco Like, Like 150), (Kymco People, People One 125i), (Kymco People, People One 150i), (Kymco People, People S 125), (Kymco People, People S 200), (Kymco People, People S 300), (Kymco X-Town, X-Town 300), (Kymco X-Town, X-Town 300 City), (Kymco Xciting, Xciting 400i):  
Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear

## Lambretta

### | Trouble codes

(Lambretta V, V 200 Special)

### | Parameters

(Lambretta V, V 200 Special)

## Macbor

### | Trouble codes

(Macbor Rockster, Rockster Flat), (Macbor Lord Martin, Lord Martin 125), (Macbor Johnny Be Good, Johnny Be Good 125), (Macbor Eight Mile, Eight Mile 125), (Macbor Eight Mile, Eight Mile 500)

### | Parameters

(Macbor Rockster, Rockster Flat), (Macbor Lord Martin, Lord Martin 125), (Macbor Johnny Be Good, Johnny Be Good 125), (Macbor Eight Mile, Eight Mile 125), (Macbor Eight Mile, Eight Mile 500)

Actuators	(Macbor Eight Mile, Eight Mile 500)
Basic settings	(Macbor Eight Mile, Eight Mile 500): Bleeding the ABS hydraulic unit
<b>Mash</b>	
Trouble codes	(Mash 250, Dirt Track 250)
Parameters	(Mash 250, Dirt Track 250)
<b>Suzuki</b>	
Trouble codes	(Suzuki DL, DL-800), (Suzuki GSX-S, GSX-S1000), (Suzuki GSX-R, GSX-R125), (Suzuki GSX-S, GSX-S125), (Suzuki GSX, GSX-8R), (Suzuki GSX, GSX-8S)
Parameters	(Suzuki DL, DL-800), (Suzuki GSX-S, GSX-S1000), (Suzuki GSX-R, GSX-R125), (Suzuki GSX-S, GSX-S125), (Suzuki GSX, GSX-8R), (Suzuki GSX, GSX-8S)
Actuators	(Suzuki DL, DL-800), (Suzuki GSX-S, GSX-S1000), (Suzuki GSX-R, GSX-R125), (Suzuki GSX-S, GSX-S125), (Suzuki GSX, GSX-8R), (Suzuki GSX, GSX-8S)
Basic settings	(Suzuki DL, DL-800), (Suzuki GSX, GSX-8R), (Suzuki GSX, GSX-8S): Resetting throttle valve adaptation values, Resetting adaptation values of IMU, Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear, Adapting the throttle grip, Resetting gearbox learning values, Resetting fuel system adaptation values, Resetting learned values of idle speed stabilizer  (Suzuki GSX-R, GSX-R125), (Suzuki GSX-S, GSX-S125): Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear, Resetting fuel system adaptation values, Resetting learned values of idle speed stabilizer  (Suzuki GSX-S, GSX-S1000): Resetting throttle valve adaptation values, Bleeding the ABS hydraulic unit front, Bleeding the ABS hydraulic unit rear, Adapting the throttle grip, Resetting gearbox learning values, Resetting fuel system adaptation values, Resetting learned values of idle speed stabilizer

## SYM

<b>Trouble codes</b>	(SYM Cruisym, Cruisym 300 Alpha), (SYM Maxsym, Maxsym 400 GT E5), (SYM Maxsym, Maxsym 508 TL E5), (SYM Jet, Jet X 125 E5)
<b>Parameters</b>	(SYM Cruisym, Cruisym 300 Alpha), (SYM Maxsym, Maxsym 400 GT E5), (SYM Maxsym, Maxsym 508 TL E5), (SYM Jet, Jet X 125 E5)
<b>Actuators</b>	(SYM Cruisym, Cruisym 300 Alpha), (SYM Jet, Jet X 125 E5)

## Yamaha

<b>Trouble codes</b>	(Yamaha MT, MT-09)
<b>Parameters</b>	(Yamaha MT, MT-09)
<b>Actuators</b>	(Yamaha MT, MT-09)
<b>Basic settings</b>	(Yamaha MT, MT-09): Bleeding the ABS hydraulic unit, Resetting learned values of idle speed stabilizer, Resetting engine adaptation values